

Instructions for Authors Coding with L^AT_EX

L^AT_EX 2_ε Class
for the World Mathematical
Year 2000 Book

*Mathematics Unlimited:
2001 and Beyond*

(Provisional Title)

Version 1.0

Springer

*Berlin Heidelberg New York
Barcelona Hong Kong London Milan
Paris Singapore Tokyo*

Dear Authors,

This macro-package has been prepared for this “World Mathematical Year 2000” book and will provide a preliminary layout. The final page make-up will be done by us basing on the layout of the well-known book by Martin Aigner and Günter M. Ziegler “Proofs from The Book”. Shortly you will be able to view the layout of a sample chapter within our website of this multi-author book project. Moreover, we will use the MathTime fonts designed for typesetting mathematics to ensure the highest quality of math typesetting for this special edition. Detailed information on how to include figures you will find in this brochure in Chapter 13.

If there should arise any questions or if you need any further information please contact us:

- *For editorial questions:*
Dr. Martin Peters
Springer-Verlag, Mathematics Editorial IV
Tiergartenstrasse 17, 69121 Heidelberg, Germany
Phone +49-6221-487409
Fax +49-6221-487355
E-mail peters@springer.de

- *For T_EX problems and questions concerning the production process:*
Karl-Friedrich Koch
Springer-Verlag, Book Production Department II/3143
Tiergartenstrasse 17, 69121 Heidelberg
Phone +49-6221-487534
Fax +49-6221-487688
E-mail koch@springer.de or KFKoch@t-online.de

Acceptable formats of your data and output

Once you have completed your contribution using this macro package, please transfer your L^AT_EX input (source) file and the DVI-file via ftp to our server as follows:

```
address:  ftp.springer.de
userid:   b3143
password: spvb3143
go to:    dir “WMY2000”, open it and then create a directory
           using your name
```

Otherwise please submit your own printout together with a 3.5" disk containing your L^AT_EX input (source) file and the DVI-file and make sure that the text is *identical in both cases*.

Table of Contents

1	Introduction.....	4
2	How to Proceed.....	4
2.1	How to Invoke the WMY2000 Document Class	5
2.2	Contributions Already Coded with L ^A T _E X without the WMY2000 document class	5
3	General Rules for Coding Formulas.....	5
3.1	Italic and Roman Type in Math Mode	6
4	How to Edit Your Input (Source) File	6
4.1	Headings	6
4.2	Capitalization and Non-capitalization	7
4.3	Abbreviation of Words	7
5	How to Code the Beginning of Your Contribution	7
6	How to Code Your Text	9
7	Predefined Theorem-like Environments	9
8	Defining Your Own Theorem-like Environments.....	10
8.1	Method 1 (<i>Preferred</i>)	10
8.2	Method 2	11
8.3	Unnumbered Environments	11
9	Fine Tuning of the Text	14
10	Special Typefaces	14
11	Footnotes	15
12	Lists	15
13	Figures	15
14	Tables	18
14.1	Tables Coded with L ^A T _E X.....	18
14.2	Tables Not Coded with L ^A T _E X.....	19
14.3	Signs and Characters	19
15	References	20
15.1	References by Letter-Number or by Number Only	20
15.2	Author-Year System	21

1 Introduction

Authors wishing to code their contribution with L^AT_EX, as well as those who have already coded with L^AT_EX, will be provided with a document class that will give the text the *preliminary* layout. Authors are requested to adhere strictly to these instructions; *the style file must not be changed*.

The *final* layout using the *MathTime*¹ fonts will be done by us. All authors will receive page proofs of the *final version and page make-up* for approval at a later stage. In mid-November 1999 you will find a *sample* of the final layout, i.e. a file “layout.pdf”, in the directory `ftp://ftp.springer.de/pub/tex/latex/WMY2000/`.

The text output area is automatically set within an area of 11 cm horizontally and 20 cm vertically.

If you are already familiar with L^AT_EX, then the WMY2000 class should not give you any major difficulties. It will change the layout to the required WMY2000 style (it will for instance define the layout of `\section`). We had to invent some extra commands, which are not provided by L^AT_EX (e.g. `\institute`, see also Sect. 5)

For the main body of the paper (the text) you should use the commands of the standard L^AT_EX “article” class. Even if you are familiar with those commands, we urge you to read this entire documentation thoroughly. It contains many suggestions on how to use our commands properly; thus your paper will be formatted to WMY2000 standard. For the input of the references at the end of your contribution, please follow our instructions given in Sect. 15 References.

The majority of these hints are not specific for WMY2000; they may improve your use of L^AT_EX in general. Furthermore, the documentation provides suggestions about the proper editing (capitalization, abbreviation etc.) (see Sect. 4: How to Edit Your Input File).

2 How to Proceed

The package consists of the following files:

<code>WMY2Kdoc.tex</code>	general instructions (source of this document); <code>WMYKdoc</code> means <i>documentation</i> for the <i>World Mathematical Year 2000</i> book
<code>WMY2Kdoc.sty</code>	class option to help for the instructions
<code>WMY2Kdem.tex</code>	an example showing how to code the text
<code>WMY2000.cls</code>	class file for L ^A T _E X

and a few additional files that are either input by the documentation or the demo file.

¹ *MathTime* is a trademark of The T_EXplorators Corporation. The *MathTime* fonts is a set of math fonts in Adobe Type 1 format (i.e. PostScript font) for use with T_EX. They are designed for typesetting mathematics in conjunction with the Adobe Times font family but, of course, they can also be used with other text fonts.

2.1 How to Invoke the WMY2000 Document Class

The WMY2000 class is an extension of the standard L^AT_EX “article” document class. Therefore you may use all “article” commands for the body of your contribution to prepare your manuscript. WMY2000 class is invoked by replacing “article” by “WMY2000” in the first line of your document:

```
\documentclass{WMY2000}
%
\begin{document}
  <Your contribution>
\end{document}
```

2.2 Contributions Already Coded with L^AT_EX without the WMY2000 Document Class

If your file is already coded with L^AT_EX you can easily adapt it a posteriori to the WMY2000 document class.

Please refrain from using any L^AT_EX or T_EX commands that affect the layout or formatting of your document (i.e. commands like `\textheight`, `\vspace`, `\headsep` etc.). There may nevertheless be exceptional occasions on which to use some of them.

The WMY2000 document class has been designed to produce the *preliminary* layout from your L^AT_EX input. If there is anything specific you would like to do and for which the style file does not provide a command, *please contact us*. Same holds for any error and bug you discover (there is however no reward for this – sorry).

3 General Rules for Coding Formulas

With mathematical formulas you may proceed as described in Sect. 3.3 of the *L^AT_EX User’s Guide & Reference Manual* by Leslie Lamport (2nd edn. 1994), Addison-Wesley Publishing Company, Inc.

Equations are automatically numbered sequentially throughout your contribution using arabic numerals in parentheses on the right-hand side.

When you are working in math mode everything is typeset in italics. Sometimes you need to insert non-mathematical elements (e.g. words or phrases). Such insertions should be coded in roman (with `\mbox`) as illustrated in the following example:

Sample Input

```
\begin{equation}
  \left(\frac{a^2}{b^2} + c^3\right) = 1 \quad \text{if } c \neq 0 \text{ and if } a, b, c \in \mathbb{R}
  \thinspace .
\end{equation}
```

Sample Output

$$\left(\frac{a^2 + b^2}{c^3}\right) = 1 \quad \text{if } c \neq 0 \text{ and if } a, b, c \in \mathbb{R}. \quad (1)$$

If you wish to start a new paragraph immediately after a displayed equation, insert a blank line so as to produce the required indentation. If there is no new paragraph either do not insert a blank line or code `\noindent` immediately before continuing the text.

Please punctuate a displayed equation in the same way as other ordinary text but with an `\thinspace` before end punctuation.

Note that the sizes of the parentheses or other delimiter symbols used in equations should ideally match the height of the formulas being enclosed. This is automatically taken care of by the following L^AT_EX commands:

`\left(` (or `\left[` and `\right)` or `\right]`.

3.1 Italic and Roman Type in Math Mode

- a) In math mode L^AT_EX treats all letters as though they were mathematical or physical variables, hence they are typeset as characters of their own in italics. However, for certain components of formulas, like short texts, this would be incorrect and therefore coding in roman is required. Roman should also be used for subscripts and superscripts *in formulas* where these are merely labels and not in themselves variables, e.g. T_{eff} not T_{eff} , T_{K} not T_K (K = Kelvin), m_e not m_e (e = electron). However, do not code for roman if the sub/superscripts represent variables, e.g. $\sum_{i=1}^n a_i$.
- b) Please ensure that *physical units* (e.g. pc, erg s⁻¹ K, cm⁻³, W m⁻² Hz⁻¹, m kg s⁻² A⁻²) and *abbreviations* such as Ord, Var, GL, SL, sgn, const. are always set in roman type. To ensure this use the `\mathrm` command: `\mathrm{Hz}`. On p. 44 of the *L^AT_EX User's Guide & Reference Manual* by Leslie Lamport you will find the names of common mathematical functions, such as log, sin, exp, max and sup. These should be coded as `\log`, `\sin`, `\exp`, `\max`, `\sup` and will appear in roman automatically.
- c) Chemical symbols and formulas should be coded for roman, e.g. Fe not *Fe*, H₂O not *H₂O*.
- d) Familiar foreign words and phrases, e.g. et al., a priori, in situ, bremsstrahlung, eigenvalues should not be italicized.

4 How to Edit Your Input (Source) File

4.1 Headings

All words in headings should be capitalized except for conjunctions, prepositions (e.g. on, of, by, and, or, but, from, with, without, under) and definite and indefinite articles (the, a, an) unless they appear at the beginning. Formula letters must be typeset as in the text.

4.2 Capitalization and Non-capitalization

- a) The following should always be capitalized:
- Headings (see preceding Sect. 4.1)
 - Abbreviations and expressions in the text such as Fig(s)., Table(s), Sect(s)., Chap(s)., Theorem, Corollary, Definition etc. when used with numbers, e.g. Fig. 3, Table 1, Theorem 2.
- Please follow the special rules in Sect. 4.3 for referring to equations.
- b) The following should *not* be capitalized:
- The words figure(s), table(s), equation(s), theorem(s) in the text when used without an accompanying number.
 - Figure legends and table captions except for names and abbreviations.

4.3 Abbreviation of Words

- a) The following *should* be abbreviated when they appear in running text *unless* they come at the beginning of a sentence: Chap., Sect., Fig.; e.g. The results are depicted in Fig. 5. Figure 9 reveals that
Please note: Equations should usually be referred to solely by their number in parentheses: e.g. (14). However, when the reference comes at the beginning of a sentence, the unabbreviated word “Equation” should be used: e.g. Equation (14) is very important. However, (15) makes it clear that . . .
- b) If abbreviations of names or concepts are used throughout the text, they should be defined at first occurrence, e.g. Plurisubharmonic (PSH) Functions, Strong Optimization (SOPT) Problem.

5 How to Code the Beginning of Your Contribution

The title of a single contribution (it is mandatory) should be coded as follows:

```
\title{<Your contribution title>}
```

All words in titles should be capitalized except for conjunctions, prepositions (e.g. on, of, by, and, or, but, from, with, without, under) and definite and indefinite articles (the, a, an) unless they appear at the beginning. Formula letters must be typeset as in the text. Titles have no end punctuation.

If a long `\title` must be divided please use the code `\\` (for new line).

If you are to produce running heads for a specific volume the standard (of no such running heads) is overwritten with the `[runningheads]` option in the `\documentclass` line. For long titles that do not fit in the single line of the running head a warning is generated. You can specify an abbreviated title for the running head on odd pages with the command

```
\titlerunning{<Your abbreviated contribution title>}
```

An optional subtitle may follow then:

```
\subtitle{<subtitle of your contribution>}
```

Now the name(s) of the author(s) must be given:

```
\author{<author(s) name(s)>}
```

Numbers referring to different addresses or affiliations are to be attached to each author with the `\inst{<no>}` command. If there is more than one author, the order is up to you; the `\and` command provides for the separation.

If you have done this correctly, this entry now reads, for example:

```
\author{Ivar Ekeland\inst{1} \and Roger Temam\inst{2}}
```

The first name² is followed by the surname.

Next the correct complete address(es) of institute(s), company etc. is (are) required. If there is more than one address, the entries are numbered automatically with `\and`, in the order in which you type them. Please make sure that the numbers match those placed next to to the authors' names to reflect the affiliation.

```
\institute{<name of an institute>
\and <name of the next institute>
\and <name of the next institute>}
```

Hint: Your address (and those of your coauthor(s)) will later be included in a separate "List of Authors" in the front matter and will therefore in the *final* version *not* appear at the beginning of the contribution.

If a footnote is needed anywhere in the contribution heading please code (immediately after the word where the footnote indicator should be placed) as follows:

```
\thanks{<text>}
```

`\thanks` may only appear in `\title`, `\author` and `\institute` to footnote anything. If there are two or more footnotes or affiliation marks to a specific item separate them with `\fnmsep` (i.e. *footnote mark separator*).

The command

```
\maketitle
```

then formats the complete heading of your article. If you leave it out the work done so far will produce *no* text.

² Other initials are optional and may be inserted if this is the usual way of writing your name, e.g. Alfred J. Holmes, E. Henry Green.

Remark to Running Heads and the Table of Contents

You will normally have no running heads and no table of contents. Both are done later by the typesetter doing the final layout of this volume. For activating the running heads there is the class option `[runningheads]`.

6 How to Code Your Text

The contribution title and all headings should be capitalized except for conjunctions, prepositions (e.g. on, of, by, and, or, but, from, with, without, under) and definite and indefinite articles (the, a, an) unless they appear at the beginning. Formula letters must be typeset as in the text.

Headings will be automatically numbered by the following codes.

Sample Input

```
\section{This is a First-Order Title}
\subsection{This is a Second-Order Title}
\subsubsection{This is a Third-Order Title.}
\paragraph{This is a Fourth-Order Title.}
```

`\section` and `\subsection` have no end punctuation.

`\subsubsection` and `\paragraph` need to be punctuated at the end.

In addition to the above-mentioned headings your text may be structured by subsections indicated by run-in headings (theorem-like environments). All the theorem-like environments are numbered automatically throughout the sections of your document. If your first call for such a theorem-like environment is `\begin{lemma}`, it will be numbered 1; if corollary follows, this will be numbered 2; if you then call lemma again, this will be numbered 3.

But in case you want to reset this counter to 1 in each section, please specify the documentclass option `envcountreset`:

```
\documentclass[envcountreset]{WMY2000}
```

Even a numbering on section level (including the section counter) is possible with the documentclass option `envcountsect`.

7 Predefined Theorem-like Environments

The following variety of run-in headings are at your disposal:

- a) **Bold** run-in headings with italicized text as built-in environments:

```
\begin{corollary} <text> \end{corollary}
\begin{lemma} <text> \end{lemma}
\begin{proposition} <text> \end{proposition}
\begin{theorem} <text> \end{theorem}
```

- b) The following generally appears as *italic* run-in heading:

```
\begin{proof} <text> \qed \end{proof}
```

It is unnumbered and may contain an eye catching square (call for that with `\qed`) before the environment ends.

- c) Further *italic* or **bold** run-in headings with roman environment body may also occur:

```
\begin{definition} <text> \end{definition}
\begin{example} <text> \end{example}
\begin{exercise} <text> \end{exercise}
\begin{note} <text> \end{note}
\begin{problem} <text> \end{problem}
\begin{question} <text> \end{question}
\begin{remark} <text> \end{remark}
\begin{solution} <text> \end{solution}
```

All these environments use and share by default one counter.

8 Defining Your Own Theorem-like Environments

We have changed the syntax of `\newtheorem` and `\newtheorem*` used to define additional environments. They now require two additional arguments namely the type style in which the keyword of the environment appears and second the style for the text of your new environment.

`\newtheorem` can be used in two ways.

8.1 Method 1 (*Preferred*)

You may want to create an environment that shares its counter with another environment, say *main theorem* to be numbered like the predefined *theorem*. In this case, use the syntax

```
\newtheorem{<env_nam>}[<num_like>]{<caption>}
{<cap_font>}{<body_font>}
```

Here the environment with which the new environment should share its counter is specified with the optional argument [`<num_like>`].

Sample Input

```
\newtheorem{mainth}[theorem]{Main Theorem}{\bfseries}
{\itshape}
\begin{theorem} The early bird gets the worm. \end{theorem}
\begin{mainth} The early worm gets eaten. \end{mainth}
```

Sample Output

Theorem 3. *The early bird gets the worm.*

Main Theorem 4. *The early worm gets eaten.*

The sharing of the default counter (`[theorem]`) is desired. If you omit the optional second argument of `\newtheorem` a separate counter for your new environment is used throughout your document.

8.2 Method 2 (*Assumes [envcountsect] Documentstyle Option*)

```
\newtheorem{<env_nam>}{<caption>}[<within>]
{<cap_font>}{<body_font>}
```

This defines a new environment `<env_nam>` which the caption `<caption>` in the font `<cap_font>` and the text itself in the font `<body_font>`. The environment is numbered beginning anew with every new sectioning element you specify with the optional parameter `<within>`.

Example

```
\newtheorem{joke}{Joke}[subsection]{\bfseries}{\rmfamily}
```

defines a new environment called `joke` which prints the caption **Joke** in boldface and the text in roman. The jokes are numbered starting from 1 at the beginning of every subsection with the number of the subsection preceding the number of the joke e.g. 7.2.1 for the first joke in subsection 7.2.

8.3 Unnumbered Environments

If you wish to have an unnumbered environment, please use the syntax

```
\newtheorem*{<env_nam>}{<caption>}{<cap_font>}{<body_font>}
```

Sample Input (of a Simple Contribution)

```
\title{Hamiltonian Mechanics}
\author{Ivar Ekeland\inst{1} \and Roger Temam\inst{2}}
\institute{Princeton University, Princeton NJ 08544, USA
\and
Universit\'{e} de Paris-Sud,
Laboratoire d'Analyse Num\'{e}rique, B\^{\a}timent 425,\
91405 Orsay Cedex, France}
%
\maketitle
%
```

```

\section{Fixed-Period Problems: The Sublinear Case}
With this chapter, the preliminaries are over, and we begin
the search for periodic solutions \dots
%
\subsection{Autonomous Systems}
In this section we will consider the case when the
Hamiltonian  $H(x)$  \dots
%
\subsubsection*{The General Case: Nontriviality.}
We assume that  $H$  is
 $\left(A_{\infty}, B_{\infty}\right)$ -subquadratic
at infinity, for some constant \dots
%
\paragraph{Notes and Comments.}
The first results on subharmonics were \dots
%
\begin{proposition}
Assume  $H'(0)=0$  and  $H(0)=0$ . Set \dots
\end{proposition}
\begin{proof}[of proposition]
Condition (8) means that, for every  $\delta>\delta$ , there
is some  $\varepsilon>0$  such that \dots \qed
\end{proof}
\begin{example}[\rmfamily (External forcing)]
Consider the system \dots
\end{example}
\begin{corollary}
Assume  $H$  is  $C^2$  and
 $\left(a_{\infty}, b_{\infty}\right)$ -subquadratic
at infinity. Let \dots
\end{corollary}
\begin{lemma}
Assume that  $H$  is  $C^2$  on  $\mathbb{R}^{2n}\setminus\{0\}$ 
and that  $H''(x)$  is \dots
\end{lemma}
\begin{theorem}[(Ghoussoub-Preiss)]
Let  $X$  be a Banach Space and  $\Phi:X\to\mathbb{R}$  \dots
\end{theorem}
\begin{definition}
We shall say that a  $C^1$  function  $\Phi:X\to\mathbb{R}$ 
satisfies \dots
\end{definition}

```

Sample Output

(follows on the next page together with examples of the above run-in headings)

Hamiltonian Mechanics

Ivar Ekeland¹ and Roger Temam²

¹ Princeton University, Princeton, NJ 08544, USA

² Université de Paris-Sud, Laboratoire d'Analyse Numérique, Bâtiment 425,
91405 Orsay Cedex, France

1 Fixed-Period Problems: The Sublinear Case

With this chapter, the preliminaries are over, and we begin the search for periodic solutions ...

1.1 Autonomous Systems

In this section we will consider the case when the Hamiltonian $H(x)$...

The General Case: Nontriviality. We assume that H is (A_∞, B_∞) -subquadratic at infinity, for some constant ...

Notes and Comments. The first results on subharmonics were ...

Proposition 1. Assume $H'(0) = 0$ and $H(0) = 0$. Set ...

Proof (of proposition). Condition (8) means that, for every $\delta' > \delta$, there is some $\varepsilon > 0$ such that ... \square

Example 2 (External Forcing). Consider the system ...

Corollary 3. Assume H is C^2 and (a_∞, b_∞) -subquadratic at infinity. Let ...

Lemma 4. Assume that H is C^2 on $\mathbb{R}^{2n} \setminus \{0\}$ and that $H''(x)$ is ...

Theorem 5 (Ghoussoub-Preiss). Let X be a Banach Space and $\Phi : X \rightarrow \mathbb{R}$...

Definition 6. We shall say that a C^1 function $\Phi : X \rightarrow \mathbb{R}$ satisfies ...

9 Fine Tuning of the Text

The following should be used to improve the readability of the text:

<code>\,</code>	a thin space, e.g. between numbers or between units and numbers; a line division will not be made following this space
<code>--</code>	en dash; two strokes, without a space at either end
<code>\--\</code>	en dash; two strokes, with a space at either end
<code>-</code>	hyphen; one stroke, no space at either end
<code>\$-\$</code>	minus, in the text <i>only</i>

Input `21\,$^{\circ}$C etc.,`
`Dr h.\,c.\,Rockefeller-Smith \dots`
`20,000\,km and Prof.\,Dr Mallory \dots`
`1950--1985 \dots`
`this -- written on a computer -- is now printed`
`-30\,K \dots`

Output 21 °C etc., Dr h. c. Rockefeller-Smith ...
 20,000 km and Prof. Dr Mallory ...
 1950–1985 ...
 this – written on a computer – is now printed
 –30 K ...

10 Special Typefaces

Normal type (roman text) need not be coded. *Italic* (`{\em <text>}`) better still `\emph{<text>}`) or, if necessary, **boldface** should be used for emphasis.

`{\itshape Text}` *Italicized Text*

`{\em Text}` *Emphasized Text* – if you would like to emphasize a definition within an italicized text (e.g. of a theorem) you should code the expression to be emphasized by `\em`.

`{\bfseries Text}` **Important Text**

`\vec{Symbol}` Vectors may only appear in math mode. The default L^AT_EX vector symbol has been adapted to WMY2000 conventions.

`$$\vec{A}\times\vec{B}\cdot\vec{C}$$` yields

$\mathbf{A} \times \mathbf{B} \cdot \mathbf{C}$

`$$\vec{A}^T \otimes \vec{B} \otimes \hat{D}$$` yields

$\mathbf{A}^T \otimes \mathbf{B} \otimes \hat{\mathbf{D}}$

11 Footnotes

Footnotes within the text should be coded:

```
\footnote{Text}
```

Sample Input

Text with a footnote\footnote{The footnote is automatically numbered.} and text continues ...

Sample Output

Text with a footnote¹ and text continues ...

12 Lists

Please code lists as described below:

Sample Input

```
\begin{enumerate}
  \item First item
  \item Second item
  \begin{enumerate}
    \item First nested item
    \item Second nested item
  \end{enumerate}
  \item Third item
\end{enumerate}
```

Sample Output

1. First item
2. Second item
 - (a) First nested item
 - (b) Second nested item
3. Third item

13 Figures

Figure environments should be inserted after (not in) the paragraph in which the figure is first mentioned. They will be numbered automatically.

Preferably the images should be enclosed as PostScript files – best as EPS data using the *graphics* or *graphicx* package of L^AT_EX. It is important that the used fonts, and only these, are embedded in each of the figure files. In line drawings please do not use hair lines; the minimum thickness of lines must be 0.5 pt. The figures will usually be

¹ The footnote is automatically numbered.

produced by graphics software like Adobe Illustrator, Adobe Photoshop or Macromedia Freehand. TIFF files will also be accepted.

If you cannot include them into your output this way and use other techniques for a separate production, the figures should be handled as follows:

- Line drawings should be attached to the printout.
- Halftone figures and line drawings containing halftones or extremely weak lines should be sent separately because they will be reproduced in a different manner.

The lettering in the figures (line drawings and halftones) should have a size of at least 1.8 mm and not more than 2.5 mm for capital letters – even after a probably necessary reduction. Check that lines and other details are uniformly black and that the lettering on figures is clearly legible.

To leave the desired amount of space for the height of your figures, please use the coding described below. The surrounding space is provided by the figure environment, so that you should only leave the space equivalent to the size of the figure itself. Please note that “x” in the following coding stands for the actual height of the figure:

```
\begin{figure}
\vspace{x cm}
\caption[ ]{...text of caption...}
\end{figure}
```

Sample Input

```
\begin{figure}
\vspace{2cm}
\caption{This is the caption of the figure displaying a
white eagle and a white horse on a snow field}
\end{figure}
```

Sample Output

Fig. 1. This is the caption of the figure displaying a white eagle and a white horse on a snow field

If your contribution contains 4-colour-graphics, we would ask you to get in touch with us. We can then discuss a possible data transfer of the graphics as well as the integration of these in the text. Generally, we ask authors to try and combine all 4-colour-graphics in one table, so that the high costs caused by these can be kept within appropriate limits.

You will find an example for such a colour plate arrangement on the opposite page. For the input please refer to the source file of this document `WMY2Kdoc.tex`.




Fig. 2. An example of a color plate made up from six images. Scaling of the EPS data is done by the *graphicx* package of L^AT_EX.

14 Tables

Table captions should be treated in the same way as figure legends, except that the table captions appear *above* the tables. The tables will be numbered automatically.

14.1 Tables Coded with L^AT_EX

Please use the following coding:

Sample Input

```
\begin{table}
%
\caption{Critical  $N$  values}
\begin{center}
\begin{tabular}{llllll}
\hline\noalign{\smallskip}
 $M_{\odot}$  &  $\beta_0$  &  $T_{c6}$  &  $\gamma$  &  $N_{\text{crit}}^L$  &  $N_{\text{crit}}^{\text{Te}}$  \\
\hline
30 & 0.82 & 38.4 & 35.7 & 154 & 320 \\
60 & 0.67 & 42.1 & 34.7 & 138 & 340 \\
120 & 0.52 & 45.1 & 34.0 & 124 & 370 \\
\hline
\end{tabular}
\end{center}
%
```

Sample Output

Table 1. Critical N values

M_{\odot}	β_0	T_{c6}	γ	N_{crit}^L	$N_{\text{crit}}^{\text{Te}}$
30	0.82	38.4	35.7	154	320
60	0.67	42.1	34.7	138	340
120	0.52	45.1	34.0	124	370

Before continuing your text you need an empty line. . . .

For further information you will find a complete description of the tabular environment on p. 62 ff. and p. 204 of the *L^AT_EX User's Guide & Reference Manual* by Leslie Lamport.

14.2 Tables Not Coded with L^AT_EX

If you do not wish to code your table using L^AT_EX but prefer to have it reproduced separately, proceed as for figures and use the following coding:

Sample Input

```
\begin{table}
\caption{text of your caption}
\vspace{x cm}      % the actual height needed for your table
\end{table}
```

14.3 Signs and Characters

Special Signs. You may need to use special signs. The available ones are listed in the *L^AT_EX User's Guide & Reference Manual* by Leslie Lamport, pp. 41 ff. Further symbols can be obtained by the $\mathcal{A}\mathcal{M}\mathcal{S}\text{-}\mathcal{T}\mathcal{E}\mathcal{X}$ extra symbols (these will be loaded by the command `\usepackage{amssymb}` in the preamble of your file), e. g.

<code>\gtrless</code>	yields	\geq	<code>\rightleftarrows</code>	yields	\rightleftarrows
<code>\leqq</code>	yields	\leq	<code>\ngeqq</code>	yields	$\not\leq$
<code>\Rightarrow</code>	yields	\Rightarrow	<code>\square</code>	yields	\square

Gothic (Fraktur). If gothic letters are *necessary*, please use those of the relevant $\mathcal{A}\mathcal{M}\mathcal{S}\text{-}\mathcal{T}\mathcal{E}\mathcal{X}$ alphabet which are available using the `amstex` package of the American Mathematical Society.

In L^AT_EX only the following gothic letters are available: `\Re` yields \Re and `\Im` yields \Im . These should *not* be used when you need gothic letters for your contribution. Use $\mathcal{A}\mathcal{M}\mathcal{S}\text{-}\mathcal{T}\mathcal{E}\mathcal{X}$ gothic as explained above. The command `\mathfrak{<symbol>}` requests **gothic** letters. For the real and the imaginary parts of a complex number within math mode you should use instead:

`\mathrm{Re}` (which yields Re) or `\mathrm{Im}` (which yields Im).

Script. For script capitals use the coding

`\mathcal{AB}` which yields \mathcal{AB}

(see p. 42 of the L^AT_EX book).

Special Roman. If you need this kind of symbols please use the black-board bold characters of $\mathcal{A}\mathcal{M}\mathcal{S}\text{-}\mathcal{T}\mathcal{E}\mathcal{X}$. These will be loaded by the command `\usepackage{amsfonts}` in the preamble of your file. A coding example follows:

`\xi\in\in\mathbb{R}^{2n}` which yields $\xi \in \mathbb{R}^{2n}$.

See also the two demonstration files in `WMY2Kdem.tex`.

15 References

There are three reference systems available; only one, of course, should be used for your contribution. With each system (by number only, by letter-number or by author-year) a reference list containing all citations in the text, should be included at the end of your contribution placing the L^AT_EX environment `thebibliography` there. For an overall information on that environment see the *L^AT_EX User's Guide & Reference Manual* by Leslie Lamport, p. 71.

15.1 References by Letter-Number or by Number Only

References are cited in the text – using the `\cite` command of L^AT_EX – by number or by letter-number in square brackets, e.g. [1] or [E1, S2], [P1], according to your use of the `\bibitem` command in the `thebibliography` environment. The coding is as follows: if you choose your own label for the sources by giving an optional argument to the `\bibitem` command the citations in the text are marked with the label you supplied. Otherwise a simple numbering is done, which is preferred.

The results in this section are a refined version of `\cite{clar:eke}`; the minimality result of Proposition~14 was the first of its kind.

The above input produces the citation: "... refined version of [CE1]; the minimality...". Then the `\bibitem` entry of the `thebibliography` environment should read:

```
\begin{thebibliography}{[MT1]}
.
.
\bibitem[CE1]{clar:eke}
Clarke, F., Ekeland, I.:
Nonlinear oscillations and boundary-value problems for
Hamiltonian systems.
Arch. Rational Mech. Anal. {\bfseries 78} (1982) 315--333
.
.
\end{thebibliography}
```

The complete bibliography looks like this:

References

- [CE1] Clarke, F., Ekeland, I.: Nonlinear oscillations and boundary-value problems for Hamiltonian systems. *Arch. Rational Mech. Anal.* **78** (1982) 315–333
- [CE2] Clarke, F., Ekeland, I.: Solutions périodiques, du période donnée, des équations hamiltoniennes. *Note CRAS Paris* **287** (1978) 1013–1015

- [MT1] Michalek, R., Tarantello, G.: Subharmonic solutions with prescribed minimal period for nonautonomous Hamiltonian systems. *J. Diff. Eq.* **72** (1988) 28–55
- [Ta1] Tarantello, G.: Subharmonic solutions for Hamiltonian systems via a \mathbb{Z}_p pseudoindex theory. *Annali di Matematica Pura* (to appear)
- [Ra1] Rabinowitz, P.: On subharmonic solutions of a Hamiltonian system. *Comm. Pure Appl. Math.* **33** (1980) 609–633

Number-Only System. For this preferred system do not use the optional argument in the `\bibitem` command: then, only numbers will appear for the citations in the text (enclosed in square brackets) as well as for the marks in your bibliography (here the number is only end-punctuated without square brackets).

Subsequent citation numbers in the text are collapsed to ranges. Non-numeric and undefined labels are handled correctly but no sorting is done.

E.g., `\cite{n1,n3,n2,n3,n4,n5,foo,n1,n2,n3,?,n4,n5}` – where `nx` is the key of the `xth \bibitem` command in sequence, `foo` is the key of a `\bibitem` with an optional argument, and `?` is an undefined reference – gives 1,3,2-5,foo,1-3,?,4,5 as the citation reference.

```
\begin{thebibliography}{1}
\bibitem {clar:eke}
Clarke, F., Ekeland, I.:
Nonlinear oscillations and boundary-value problems for
Hamiltonian systems.
Arch. Rational Mech. Anal. {\bfseries 78} (1982) 315--333
\end{thebibliography}
```

15.2 Author-Year System

References are cited in the text by name and year in parentheses and should look as follows: (Smith 1970, 1980), (Ekeland et al. 1985, Theorem 2), (Jones and Jaffe 1986; Farrow 1988, Chap. 2). If the name is part of the sentence only the year may appear in parentheses, e.g. Ekeland et al. (1985, Sect. 2.1) The reference list should contain all citations occurring in the text, ordered alphabetically by surname (with initials following). If there are several works by the same author(s) the references should be listed in the appropriate order indicated below:

- a) One author: list works chronologically;
- b) Author and same co-author(s): list works chronologically;
- c) Author and different co-authors: list works alphabetically according to co-authors.

If there are several works by the same author(s) and in the same year, but which are cited separately, they should be distinguished by the use of “a”, “b” etc., e.g. (Smith 1982a), (Ekeland et al. 1982b).

How to Code Author-Year System. If you want to use this system you have to specify the option `[citeauthoryear]` in the `documentclass`, like:

```
\documentclass[citeauthoryear]{WMY2000}
```

Write your citations in the text explicitly except for the year, leaving that up to L^AT_EX with the `\cite` command. Then give only the appropriate year as the optional argument (i.e. the label in square brackets) with the `\bibitem` command(s).

Sample Input

The results in this section are a refined version of Clarke and Ekeland (`\cite{clar:eke}`); the minimality result of Proposition~14 was the first of its kind.

The above input produces the citation: "... refined version of Clarke and Ekeland (1982); the minimality...". Then the `\bibitem` entry of `clar:eke` in the `thebibliography` environment should read:

```
\begin{thebibliography}{} % (do not forget {})
.
.
\bibitem[1982]{clar:eke}
Clarke, F., Ekeland, I.:
Nonlinear oscillations and boundary-value problems for
Hamiltonian systems.
Arch. Rational Mech. Anal. {\bfseries 78} (1982) 315--333
.
.
\end{thebibliography}
```

Sample Output

References

Clarke, F., Ekeland, I.: Nonlinear oscillations and boundary-value problems for Hamiltonian systems. Arch. Rational Mech. Anal. **78** (1982) 315–333